

VELUX® blinds and shutters

2023 Collection

Valid from 1 XXXX 2023

A woman with her hair in a bun, wearing a brown vest over a white shirt and pink pants, is sitting at a wooden desk in a room with a slanted ceiling. She is working on a laptop. The room features two large VELUX skylights with white frames and light-colored blinds. The wall behind her has dark floral wallpaper, and there are wooden shelves with various items. A potted plant sits on the desk. A purple sweater is draped over a chair to the left.

BLINDS FOR EVERY NEED

From light dimming to complete blackout and heat control, the VELUX blind and shutter collection features options to meet every need.

Page 8

FULLY AUTOMATED SOLUTIONS

Control your blinds or shutters from anywhere with Intelligent Home Control solutions for an optimal indoor climate.

Page 11



Genuine
VELUX blinds
for more than
60 years

Contents

- 4 Why VELUX
- 6 Our timeless blinds collection
- 8 Nature collection
- 10 Combine more products for optimal comfort
- 12 Select your level of comfort
- 14 Intelligent Home Control solutions
- 16 Installation of VELUX blinds
- 18 Product overview – blinds and shutters
- 20 Heat protection – shutters and awning blinds
- 26 Roller blinds
- 38 Pleated blinds
- 44 Venetian blinds
- 46 Combine products and save money
- 48 Insect screen
- 50 Flat roof window blinds
- 54 How to order your new VELUX blinds
- 55 Extras for your blinds and shutters
- 55 Contact customer service


Why VELUX®

Your VELUX roof windows deserve original blinds and shutters, for a perfect fit, beautiful design and long lasting performance.

1

Designed and tested for daily life

All VELUX products are **designed and tested for real life**. Our blinds are drawn thousands of times and exposed to extreme heat. Our shutters endure relentless battles with sun, wind, rain and snow. We pull, tug, and squeeze the material to ensure your product retains its colour and shape through years of use. And when we are happy with the design, our European factories start production.



2

Easy to install and use

Original VELUX blinds and shutters are **tailor-made for your VELUX roof windows**. This means they always fit perfectly and are easy to install – with no measuring or cutting. The elegant and slim frame design **ensures a perfect looking result**, making the blind almost invisible when not in use.



3

Your colours for your home

Enjoy an extensive choice of blind and shutter types in all styles and colours. You can even create your own customised blind with our **Colour by You** collection. All with a choice of white or brushed aluminium side rails.



4

For safety and sustainability

VELUX blinds have **child-safe cordless designs** to ensure safety in your home. And all our interior blinds are **OEKO-TEX® certified** and guaranteed free from harmful substances. VELUX roller shutters do double duty by protecting your room from overheating while actively deterring break-ins.





Discover our timeless collection

From classic to trendy, from light dimming to complete blackout, the VELUX blind collection features stylish colours, subtle patterns and a range of features to match all room types.

The VELUX blind collection is developed in partnership with leading international trend experts. Choose from a large variety of fabrics and colours in classic or more modern designs.

We offer three different roller blinds with flat fabrics, two types of pleated blinds, as well as our classic venetian blinds. All varieties come in a range of colours for you to mix or match by choosing different or similar colours across your rooms and blind types.

Your choice of blind depends entirely on your personal style, the room type, and whether you are looking to create a complete blackout or light dimming effects. Explore the following pages for more inspiration.

Customise the colour of your blind
If you cannot find the exact colour to match your taste or interiors, the Colour by You collection gives you thousands of additional colours to choose from.

Read more on page 25 or at veluxshop.nn/colour




Clean all white look

VELUX blinds are available with high-quality side rails in your choice of either brushed or white-painted aluminium.

Brushed aluminium works exceptionally well with our lacquered wood-finish roof windows while the white-painted rails become almost invisible when paired with

white VELUX windows. Furthermore, thanks to their UV-protection, the bright white will stay unaffected by sunlight.

The side rails are easy to install and designed to complement your VELUX roof windows beautifully.



Blackout or translucent blinds?

Blackout blinds will block any incoming light, making them a preferred choice for bedrooms and children's rooms where darkness is needed for a good night's sleep.

Translucent blinds, however, allow a dimmed light to enter into the room while effectively preventing glare. Translucent blinds are suitable for many room types like living rooms, home offices and game rooms.

News

CO₂ reduced
with recycled
materials



More natural by design

Blinds that bring the feeling of nature into your home

Our new Nature Collection of roller blinds come in a range of colours that allow you to bring the peace and tranquility of nature directly into your home.

Designed for maximum light control, perfect fit and long-lasting performance, they are the natural choice for getting the most out of your VELUX roof windows.


They are certified Standard 100 and STeP by OEKO-TEX® (1076-184 DTI) and are primarily made from recycled materials – which halves their carbon footprint compared with other collections – because it's our nature.

Join us on our sustainability journey.
Read more about the collection on page [xx](#).

Blackout roller blind (DKY)



Translucent roller blind (RFY)





Choose an exterior product for heat protection

See more on page [XX](#)



Pick your interior blind for light control

See more on page [XX](#)



Add an interior insect screen for further comfort

See more on page [XX](#)

Combine more products for optimal comfort

Pair your interior blinds with exterior shutters and awning blinds to keep the heat out

Buy your blind and awning together and **save 10%**

See more on page [XX](#)

Select your level of comfort

From manual to fully automated blinds and shutters



Enjoy seamless remote control with **VELUX solar powered or electric** blinds and shutters



Upgrade your solar powered and electric blinds and shutters with **VELUX Intelligent Home Control** solutions for smartphone control and fully automated heat protection

Manual operation

Simple hands-on solution

Your manual VELUX blinds come with a clever and discreet control bar that lets you adjust the blind comfortably.

The blinds run smoothly and can be positioned anywhere in the window.

Remote-controlled

Smarter controls with VELUX electrical blinds and shutters

Choose VELUX solar powered or electric blinds and shutters to simplify your home living. These products come with a ready-to-use wall switch for remote operation. And they can easily be upgraded with a range of intelligent home control solutions to cover everyone's needs.



Select solar powered VELUX blinds and shutters for your manual or solar powered VELUX roof window. Installation is easy with no need to run cables.



Select electric VELUX blinds and shutters for your electric VELUX roof windows.

Intelligent Home Control

Let Intelligent Home Control take care of your indoor climate

Unlock the full potential of your electrical blinds and shutters with VELUX Intelligent Home Control solutions that empower you to take charge of your indoor comfort with ease. VELUX App Control lets you control your VELUX solar powered and electric products right from your phone – at home or on the go.

VELUX ACTIVE with NETATMO automatically improves your indoor climate and offers seamless control of your VELUX solar powered and electric products by smartphone or voice commands. To shield your home from excessive heat, you can simply let the system rely on the built-in indoor climate sensors and live weather forecast for automatic operation of your blinds, awnings and shutters.

See more on the next page or at [\[insert local link\]](#)

The range of Intelligent Home Control

We offer a complete range of intelligent home controls that cover everyone's needs. From controls for simple operation of electrical products, to a fully automated solution for optimal indoor climate, our portfolio has something for everyone.



	VELUX Wall Switch	VELUX Touch	VELUX App Control	VELUX ACTIVE with NETATMO
Product use	Pre-paired for easy control • Simple control of one electrical product	Indoor comfort at your fingertips • Simple control of multiple electrical products	Control your indoors from anywhere • Smart control of multiple electrical products from your phone	Everyday home improvement • Smart control of multiple electrical products from your phone, with sensor-based automation for better indoor climate
What's in the box	Included in all electrical product purchases: • KLI 311 for roof windows • KLI 312 for interior blinds • KLI 313 for exterior shutter and blinds	• 1 VELUX Touch	• VELUX App Control • 1 VELUX App Control Gateway	• VELUX ACTIVE with NETATMO app • 1 VELUX ACTIVE Indoor Climate Sensor • 1 VELUX ACTIVE Departure Switch • 1 VELUX ACTIVE Gateway
Connectivity	• N/A	• N/A	• WiFi	• WiFi
VELUX Compatibility	• All electric roof windows, blind and shutters	• All electric roof windows, blinds and shutters	• All electric roof windows, blinds and shutters	• All electric roof windows, blinds and shutters
Compatible with	• N/A	• N/A	• Apple • Google	• Apple • Google
Price	• Included in all electrical product purchases	• € 109	• € 119	• € 249

VELUX Touch

Indoor comfort at your fingertips

VELUX Touch makes it easy to feel perfectly at home by ensuring every electric roof window, blind and shutter is always within easy reach. Let in a cool breeze when you need a breath of fresh air, shield your home from the midday sun or draw the blinds for movie night – all with a single remote.

- Easy grouping of products
- Simple control of multiple electrical products
- Quick and easy access to frequently used features
- Accessible to all household members
- Ventilation timer for quick airing
- Not dependent on Wi-Fi

Includes

- 1 VELUX Touch

Details

- It is a perfect choice for simple multiple product operation, that doesn't require Internet connection



days

VELUX Touch

KLR 300	VELUX Touch	000	#
---------	-------------	-----	---

Visit velux.xx/touch to discover more.
Delivery time is an approximate in working days from receipt of order placed before 11.30am (ROI).

All prices in EUR (€)



Installing your genuine VELUX blinds is easier than you think

Install your genuine VELUX blinds in 15 minutes

Installing VELUX blinds requires no measuring, trimming, cutting or extra tools. They are made for a perfect fit, and everything you need is included in the package.

No need to cut or trim – just click on

Your VELUX windows have pre-installed brackets for your blinds. Simply click on the original VELUX blind and add the tailored side rails.

No need to measure

You can find your roof window's type and size on the window frame – see how on [page XX](#). Then you can be sure that your new blind fits your roof window perfectly without having to take any measurements.

Easily replace your old blinds

It is straightforward to replace old blinds with new ones from VELUX. Everything needed is included in the package.



Roller blinds

Roller blinds are classic and popular solutions, available in three versions: Translucent roller blinds provide basic light control and privacy, blackout roller blinds block out all light day and night, and Duo blackout roller blinds offer both blinds in one convenient solution.



Translucent roller blind
Page XX



Blackout roller blind
Page XX



Duo blackout roller blind
Page XX

Pleated blinds

Pleated blinds are decorative and offer flexible light control. They can be controlled both from the top and bottom and placed anywhere in the window. Pleated blinds are available in two versions: The translucent pleated blinds provide privacy and soften incoming daylight. The blackout energy pleated blinds provide blackout and improve insulation on cold nights.



Translucent pleated blind
Page XX



Blackout energy pleated blind
Page XX



Venetian blind
Page XX

Venetian blinds

Venetian blinds are classic solutions for light dimming and privacy. They are low-maintenance and moisture-resistant, making them the perfect choice for bathrooms and kitchens.

Exterior products for heat protection

VELUX exterior products protect your home from overheating. Roller shutters provide full control of your indoor comfort while soft shutters offer great heat protection and blackout. Awning blinds block the sun's rays before they enter your home and the transparent fabric preserves your view of the outdoors.



Roller shutter
Page XX



Soft shutter
Page XX



Awning blind
Page XX

Insect screens

Insect screens offer protection from flies, mosquitoes, wasps and other insects so you can enjoy insect-free fresh air.



Insect screen
Page XX

Blinds for flat roof windows


Blinds for VELUX flat roof windows are specially designed to control light, keep out the heat or insulate from the cold. Convenient remote operation gives you power at the touch of a button.




Flat roof window blinds
Page XX

Do you need blackout?

VELUX blackout blinds can help you create the perfect space for a good night's sleep or a refreshing daytime nap.



Blackout roller blind
Page XX



Duo blackout roller blind
Page XX



Blackout energy pleated blind
Page XX

Do you need heat control?

Protect your home from overheating with our exterior awning blinds or shutters.



Roller shutter
Page XX



Soft shutter
Page XX



Awning blind
Page XX

Do you need light dimming?

Increase privacy and control incoming daylight with our pleated, roller and Venetian blind options.



Translucent roller blind
Page XX



Translucent pleated blind
Page XX



Venetian blind
Page XX

Do you need to keep insects out?


Enjoy fresh air free from insects.



Insect screen
Page XX

Do you need a blind for your flat roof window?

Select a blind to control light and heat or protect from insects.



Flat roof window blinds
Page XX



Stop the heat on
the outside of your
windows with VELUX
Heat Protection and
keep your home cool
on hot days and nights

Outdoor protection, indoor comfort

Our wide range of VELUX Heat Protection products effectively help you to protect your home from overheating so you can enjoy a comfortable indoor temperature on even the hottest days or nights. All products can be installed from the inside by yourself or an installer. Discover the blind or shutter that best meets the needs for your home.



Roller shutter

Heat protection, blackout and insulation

See more on page [XX](#)

Heat protection	•	•	•	•
Blackout	•	•	•	•
Insulation	•	•		
Noise reduction	•	•	•	
Prevents burglary	•	•	•	



Soft shutter

Heat protection and blackout

See more on page [XX](#)

Heat protection	•	•	•
Blackout	•	•	•
Insulation	•		
Noise reduction	•	•	•
Prevents burglary	•		




Awning blind

Heat protection and transparency

See more on page [XX](#)

Heat protection	•	•	•
Blackout			
Insulation			
Noise reduction	•	•	•
Prevents burglary			



Indoor climate

- Heat protection, blackout and insulation

Heat protection	•	•	•	•
Blackout	•	•	•	•
Insulation	•	•		
Noise reduction	•	•	•	
Prevents burglary	•	•	•	

Read more about roller shutter specifications on [velux.xx/shutter](https://www.velux.xx/shutter)

Intelligent home control

- Combine your VELUX solar and electric product with our intelligent home control solutions for multiple product operation, scheduling and automation

Read more on page [XX](#).

Roller shutter

Take full control of your indoor comfort with the superior heat protection and blackout offered by the VELUX roller shutters. The ideal choice for a complete, year-round protection. The sturdy aluminium shield exterior offers the very best outdoor protection.


- Total blackout
- Effective winter insulation
- Rain noise reduction
- Effective protection of window and from break-ins
- Available in solar-powered and electric versions with app and remote control
- Can be combined with a decorative interior blind and an insect screen

- All-in-one protection
- Best heat protection and sun screening

Window size	CK02	CK04	CK06	FK06	MK04	MK06	MK08	PK06	PK08	PK10	SK06	SK08	UK04	UK08	days
	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	
Solar SSL	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#
Electric SML	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#
Electric SMH*	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#
Solar SSLs for 3in1 and 2in1	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#

* SMH is designed for VELUX electric top-hung roof windows. KUX 110 control system is needed if you install a SML to a manually operated VELUX roof window.

All prices in EUR (€)
Find all sizes, prices and more related products on [velux.xx/shutter](https://www.velux.xx/shutter)



0000

Indoor climate

- Heat protection and blackout

	Heat protection	● ● ●
	Blackout	● ● ●
	Insulation	●
	Noise reduction	● ● ●
	Prevents burglary	●

Read more about Soft shutter specifications on velux.xx/SSS

Intelligent home control

- Combine your VELUX solar and electric product with our intelligent home control solutions for multiple product operation, scheduling and automation

Read more on page [XX](#).

Soft shutter

Beat the heat with this effective combo. VELUX soft shutter blocks heat and light and is ideal for those who want to keep comfortable indoors on hot days and sleep better on warm nights.

- Effective combo
- Great heat protection
- Blocks out light
- Rain noise reduction
- Tough, durable polyester fabric
- Available in solar-powered version with remote control
- Install from inside with or without professional help
- Can be combined with a decorative interior blind and an insect screen

Window size	CK02	CK04	CK06	FK06	MK04	MK06	MK08	PK06	PK08	PK10	SK06	SK08	UK04	UK08	days
	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#

Window size	FFK06	FFK08	FMK06	FMK08	FPK06	FPK08	MMK06	MMK08	FFKF06	FFKF08	
	127x118	127x140	139x118	139x140	155x118	155x140	151x118	151x140	188x118	188x140	
	000	000	000	000	000	000	000	000	000	000	#

For old VELUX roof window generations (VES), a ZOZ 238 installation kit set is needed. For copper VELUX roof windows, a ZOZ 240 installation kit set is needed. For VELUX electric top-hung roof windows, a ZOZ 229S kit set is needed.

All prices in EUR (€)
Find all sizes, prices and more related products on velux.xx/shutter



5060

Indoor climate

- Heat protection and transparency

	Heat protection	● ● ●
	Blackout	
	Insulation	
	Noise reduction	● ● ●
	Prevents burglary	

Read more about awning blind specifications on velux.xx/awning

Intelligent home control

- Combine your VELUX solar and electric product with our intelligent home control solutions for multiple product operation, scheduling and automation

Read more on page [XX](#).

Awning blind

Keeps your indoors cool and comfortable all day with VELUX Awning blinds that block incoming heat before it ever hits your VELUX roof windows. The ideal choice for home offices or living rooms where you want cooler temperatures and reduce glare on sunny days.

- Effective heat reduction
- Transparent fabric – lets in light and retains the view to the outside
- Rain noise reduction
- Available in solar-powered and electric versions with app and remote control
- Easy installation from inside
- Can be combined with a decorative interior blind and an insect screen

Window size	CK02	CK04	CK06	FK06	MK04	MK06	MK08	PK06	PK08	PK10	SK06	SK08	UK04	UK08	days
	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#
	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#
	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#

Window size	FFK06	FFK08	FMK06	FMK08	FPK06	FPK08	MMK06	MMK08	FFKF06	FFKF08	
	127x118	127x140	139x118	139x140	155x118	155x140	151x118	151x140	188x118	188x140	
	000	000	000	000	000	000	000	000	000	000	#

For old VELUX roof window generations (VES), a ZOZ 238 installation kit set is needed. For copper VELUX roof windows, a ZOZ 240 installation kit set is needed. For VELUX electric top-hung roof windows, a ZOZ 229S kit set is needed. KUX 110 control system is needed if you install an MML to a manually operated VELUX roof window.

All prices in EUR (€)
Find all sizes, prices and more related products on velux.xx/shutter


Set the scene for
daytime living and
restful nights with
VELUX roller blinds






Colour options

Standard colours



Trend colours



Installation

- Quick and easy installation with pre-fitted brackets

Intelligent home control

- Combine your VELUX solar and electric product with our intelligent home control solutions for multiple product operation, scheduling and automation

Read more on page [XX](#).

Certifications

- Standard 100 by OEKO-TEX® (1076-184 DT1) – contains no harmful substances
- STeP by OEKO-TEX® – sustainable textile production

Translucent roller blind

VELUX translucent roller blind provides basic privacy whilst still allowing in natural light. Perfect for living rooms, offices and playrooms.

- Softens incoming light and provides privacy
- Available with white or brushed aluminium side rails
- Available in solar-powered and electric versions with app and remote control and in a manual version
- Also available with hooks and three-step positioning in four standard colours
- Combine with an exterior shutter or awning for effective heat protection. Read more on page [XX](#)

Window size		CK02	CK04	CK06	FK06	MK04	MK06	MK08	PK06	PK08	PK10	SK06	SK08	UK04	UK08	days
	Standard	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#
	Trend	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#
	Standard	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#
	Trend	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#
	Standard	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#
	Trend	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#

KUX 110 control system is needed if you install a RML to a manually operated VELUX roof window. To order the blind with white side channels, simply add WL to the end of your product code.


All prices in EUR (€)
Find all sizes and prices on velux.xx/RFL





Colour options

Standard colours



Trend colours



Blackout roller blind

The VELUX blackout roller blind offers blackout for darkness anytime. Ideal for bedrooms to ensure a good night's sleep or daytime nap.

- Blocks out all light
- Available with white or brushed aluminium side rails
- Available in solar-powered and electric versions with app and remote control and in a manual version
- Combine with an exterior shutter or awning for effective heat protection. Read more on page [XX](#)

Installation

- Quick and easy installation with pre-fitted brackets

Intelligent home control

- Combine your VELUX solar and electric product with our intelligent home control solutions for multiple product operation, scheduling and automation

Read more on page [XX](#).

Certifications

- Standard 100 by OEKO-TEX® (1076-184 DTI) – contains no harmful substances
- STeP by OEKO-TEX® – sustainable textile production

Window size		CK02	CK04	CK06	FK06	MK04	MK06	MK08	PK06	PK08	PK10	SK06	SK08	UK04	UK08	days
	Standard	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#
	Trend	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#
	Standard	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#
	Trend	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#
	Standard	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#
	Trend	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#


KUX 110 control system is needed if you install a DML to a manually operated VELUX roof window. To order the blind with white side channels, simply add WL to the end of your product code.

All prices in EUR (€)
Find all sizes and prices on velux.xx/DKL





Colour options

Standard colours



Trend colours



Installation

- Quick and easy installation with pre-fitted brackets

Certifications

- Standard 100 by OEKO-TEX® (1076-184 DTI) – contains no harmful substances
- STeP by OEKO-TEX® – sustainable textile production

Duo blackout roller blind

VELUX duo blackout roller blind is a blackout roller and a translucent pleated blind in one. Choose any colour blackout roller blind combined with a white translucent pleated blind.

- Two ways to control light in one solution – blackout the room completely or soften incoming light
- Choose any colour blackout roller blind combined with white pleated blind (1016)
- Available with white or brushed aluminium side rails
- Available with manual operation
- Combine with an insect screen to keep insects from bugging your sleep. Read more on page **XX**

Window size	CK02	CK04	CK06	FK06	MK04	MK06	MK08	PK06	PK08	PK10	SK06	SK08	UK04	UK08	days
Manual DFD	Standard	000	000	000	000	000	000	000	000	000	000	000	000	000	#
	Trend	000	000	000	000	000	000	000	000	000	000	000	000	000	#

To order the blind with white side channels, simply add WL to the end of your product code.

All prices in EUR (€)
Find all sizes and prices on velux.xx/DFD

COLOUR BY YOU!

The Colour by You collection lets you customise your blinds to match your room, style and personal taste. With thousands of colours to choose from, you can find the perfect shade for your new roof window blind. Get inspired by trying the colour selection tool at veluxshop.nn/colour.

The Colour by You collection is available for translucent roller blinds, blackout roller blinds and duo blackout roller blinds – all with a choice of all white or brushed aluminium side rails.



- Quick and easy installation on VELUX roof windows.
- OEKO-TEX® Standard 100 certified (1076-184 DTI) – contains no harmful substances
 - STeP by OEKO-TEX® – sustainable textile production
- Child-safe design eliminates dangling cords to improve safety.
- Combine your VELUX electric products with our intelligent home control solutions for multiple product operation, scheduling and automation.

Most sold sizes. Find all sizes and prices on veluxshop.nn/colourbyyou


Window size		MK04 M04	MK06 M06	MK08 M08	PK06 P06	PK08 P08	PK10 P10	SK06 S06	SK08 S08
Solar DSL	RSL	000	000	000	000	000	000	000	000
	DSL	000	000	000	000	000	000	000	000
Electric DML	RML	000	000	000	000	000	000	000	000
	DML	000	000	000	000	000	000	000	000
Manual DKL	RFL	000	000	000	000	000	000	000	000
	DKL	000	000	000	000	000	000	000	000
	DFD	000	000	000	000	000	000	000	000

Mains powered RML and DML as well as solar powered RSL and DSL can be combined with intelligent home control solutions for multiple product operation, scheduling and automation. Read more about these solutions on page **XX**.

All prices in EUR (€)

News

CO₂ reduced with recycled materials




Translucent roller blind RFY



Blackout roller blind DKY


Colour options

Blackout roller blind DKY



Forest 4901


Marsh 4902



Lake 4903


Cave 4904

Translucent roller blind RFY



Clouds 4951

Dunes 4952



Woods 4953

Cliffs 4954

Nature Collection

For design and environmentally-conscious consumers, our new Nature Collection blinds come in a range of colours that allow you to bring the peace and tranquility of nature directly into your home. Primarily made from recycled materials, which halves their carbon footprint compared with other collections, they are the natural choice for getting the most out of your VELUX roof windows.

Blackout roller blind DKY

- Blackout – blocks out all light

Translucent roller blind RFY

- Softens incoming light and provides privacy

Blackout roller blind DKY and Translucent roller blind RFY

- Available with white or brushed aluminium side rails
- Available with manual operation
- Combine with an exterior shutter or awning for effective heat protection. Read more on page **XX**

Installation

- Quick and easy installation with pre-fitted brackets


Certifications

- Standard 100 by OEKO-TEX® (1076-184 DTI) – contains no harmful substances
- STeP by OEKO-TEX® – sustainable textile production

Window size		CK02	CK04	CK06	FK06	MK04	MK06	MK08	PK06	PK08	PK10	SK06	SK08	UK04	UK08	days
Manual operation	DKY	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#
	RFY	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#

To order the blind with white side channels, simply add WL to the end of your product code.

All prices in EUR (€)
Find all sizes and prices on velux.xx/kids



Mobile
4665

Hot air balloons
4666



Kites
4667

Universe
4653



Racing cars
4654

Roads
4655



Pink stars
4659

Blue sky
4660



Green stars
4661

Kids collection

The greatest adventures start with a good night's sleep. VELUX Kids Collection blinds are inspirational and cheerful designs made for kids' rooms. Available as blackout blind or as duo blackout blind that combines blackout and light dimming in one solution.

Blackout roller blind DKL

- Blackout – blocks out all light

Duo blackout roller blind DFD

- Two ways to control light in one solution – blackout the room completely or soften incoming light
- Choose any Kids Collection blackout roller blind combined with white pleated blind (1016)

Blackout roller blind DKL and Duo blackout roller blind DFD

- Available with white or brushed aluminium side rails
- Available with manual operation
- Combine with an insect screen to keep insects from bugging your sleep. Read more on page [XX](#)

Installation

- Quick and easy installation with pre-fitted brackets

Certifications

- Standard 100 by OEKO-TEX® (1076-184 DTI) – contains no harmful substances
- STeP by OEKO-TEX® – sustainable textile production

Window size		CK02	CK04	CK06	FK06	MK04	MK06	MK08	PK06	PK08	PK10	SK06	SK08	UK04	UK08	days
Manual operation	DKL	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#
	DFD	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#

To order the blind with white side channels, simply add WL to the end of your product code.

All prices in EUR (€)
Find all sizes and prices on velux.xx/kids


VELUX pleated blinds
– a stylish layer of
privacy that either
softens or blocks
the light entirely






Colour options

Standard colours



Trend colours



Installation

- Quick and easy installation with pre-fitted brackets

Intelligent home control

- Combine your VELUX solar and electric product with our intelligent home control solutions for multiple product operation, scheduling and automation

Read more on page [XX](#).

Certifications

- Standard 100 by OEKO-TEX® (1076-184 DTI) – contains no harmful substances
- STeP by OEKO-TEX® – sustainable textile production

Translucent pleated blind

VELUX translucent pleated blind is a decorative solution that provides privacy whilst diffusing soft natural light into your room. Adjust the blind from both the top and the bottom of the roof window* to let in exactly the right amount of light.

- Softens incoming light and provides privacy
- A flying blind design that can be placed anywhere in the window*
- Available with white or brushed aluminium side rails
- Available in solar-powered and electric versions with app and remote control and in a manual version
- Combine with an exterior shutter or awning for effective heat protection. Read more on page [XX](#)

Window size		CK02	CK04	CK06	FK06	MK04	MK06	MK08	PK06	PK08	PK10	SK06	SK08	UK04	UK08	days
Solar FSL	Standard	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#
	Trend	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#
Electric FML	Standard	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#
	Trend	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#
Manual FHL	Standard	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#
	Trend	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#

KUX 110 control system is needed if you install a FML to a manually operated VELUX roof window. To order the blind with white side channels, simply add WL to the end of your product code.
* Manual version only

All prices in EUR (€)
Find all sizes and prices on velux.xx/FHL






Blackout energy pleated blind

VELUX blackout energy pleated blind provides both blackout and insulation. It is perfect for bedrooms that need blackout at night and extra insulation. Adjust the blind from both the top and the bottom of the roof window* to let in exactly the right amount of light.

- Blackout for a great night's sleep or a nap during the day
- Insulation for increased comfort
- A flying blind design that can be placed anywhere in the window*
- Available with white or brushed aluminium side rails
- Available in solar-powered and electric versions with app and remote control and in a manual version
- Combine with an insect screen to keep insects from bugging your sleep. Read more on page [XX](#)

Colour options

Standard colours



Trend colours



Installation

- Quick and easy installation with pre-fitted brackets

Intelligent home control

- Combine your VELUX solar and electric product with our intelligent home control solutions for multiple product operation, scheduling and automation

Read more on page [XX](#).

Certifications

- Standard 100 by OEKO-TEX® (1076-184 DTI) – contains no harmful substances
- STeP by OEKO-TEX® – sustainable textile production

Window size		CK02	CK04	CK06	FK06	MK04	MK06	MK08	PK06	PK08	PK10	SK06	SK08	UK04	UK08	days
	Standard	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#
	Trend	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#
	Standard	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#
	Trend	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#
	Standard	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#
	Trend	000	000	000	000	000	000	000	000	000	000	000	000	000	000	#

KUX 110 control system is needed if you install a FMC to a manually operated VELUX roof window. To order the blind with white side channels, simply add WL to the end of your product code.
* Manual version only

All prices in EUR (€)
Find all sizes and prices on velux.xx/FHC



VELUX Venetian blinds – the smart choice for kitchens and bathrooms




Colour options

Standard colour



7001

Trend colours



7057



7062



7063



7064



7065

Venetian blind

This classic solution for light dimming and privacy is perfect for bathrooms and kitchens. It is moisture resistant and easy to clean.

- Moisture resistant
- Easy to clean
- Preserves your view while providing privacy
- Cordless operation
- Available with white or brushed aluminium side rails
- Available with manual operation

Installation

- Quick and easy installation with pre-fitted brackets

Details

- Unique and discreet tilt mechanism makes it very easy to tilt the slats

Window size	CK02	CK04	CK06	FK06	MK04	MK06	MK08	PK06	PK08	PK10	SK06	SK08	UK04	UK08	days
	Standard	000	000	000	000	000	000	000	000	000	000	000	000	000	#
	Trend	000	000	000	000	000	000	000	000	000	000	000	000	000	#

To order the blind with white side channels, simply add WL to the end of your product code.

All prices in EUR (€)
Find all sizes and prices on [velux.xx/PAL](https://www.velux.xx/PAL)



Save 10%

From XXX€
 Price incl. VAT for size CK02.
 Combo package with awning blind and blackout energy pleated blind, standard colour, manual operation.

Combine products and save money

VELUX combo packages bring you the best of both worlds: An interior blind to control light combined with an exterior awning blind to protect your room from overheating. Combo packages also save you 10% compared to buying the products separately.



Heat protection plus blackout
 Awning blind + Blackout roller blind




Heat protection, blackout plus insulation
 Awning blind + Blackout energy pleated blind



Heat protection plus light control
 Awning blind + Translucent roller blind



Let the light in while keeping the bugs out with VELUX insect screen



Insect screen

VELUX insect screen lets you enjoy fresh air without the unwanted visitors. The screen is simple to operate, and can be combined with any other VELUX interior or exterior blind. It has transparent net fabric and stows neatly away in the slim top casing when not in use.

- 100% insect-proof material
- Transparent net fabric does not obstruct your view
- Durable, wind-resistant fabric for long-lasting performance
- Standard 100 by OEKO-TEX® (1076-184 DTI) – contains no harmful substances
- STeP by OEKO-TEX® – sustainable textile production

Determine the correct size

- Measure the inner wall width (A) and height (B) to find the size code and price of your insect screen in the table below
- If you have two heights (B) or heights above 2400 mm – two insect screens and one connector set Z0Z 157 SWL are needed.
- Watch a video on how to measure and determine the correct size at www.xx
- **IMPORTANT:** Insect screen size codes may differ from window size code, please measure (A) and (B) and find correct size code in the table below before ordering

Installation


- Quick and easy installation

	A							🕒
	0-438 mm	439-530 mm	531-640 mm	641-760 mm	761-922 mm	923-1120 mm	1121-1285 mm	days
0-1600 mm	ZIL BK04	ZIL CK02	ZIL FK08	ZIL MK06	ZIL PK25	ZIL SK06	ZIL UK04	#
	000	000	000	000	000	000	000	#
B 1601-2000 mm	SPECIAL ORDER	ZIL CK06	ZIL FK08	ZIL MK06	ZIL PK06	ZIL SK06	ZIL UK10	#
	-	000	000	000	000	000	000	#
2001-2400 mm	SPECIAL ORDER	SPECIAL ORDER	ZIL FK08	ZIL MK10	ZIL PK10	ZIL SK10	ZIL UK10	#
	-	-	000	000	000	000	000	#

All prices in EUR (€)
Find all sizes and prices on veluxblindsdirect.xx




Anti-heat blind (MSU)




5070




Blackout blind (DSU)



4550



Insect screen (ZIU)



0000

New generation

For curved and flat glass rooflights

Anti-heat blind

The anti-heat blind provides light dimming and heat protection to maintain a cool and comfortable room. The blind is discreetly placed inside the rooflight, and is easily installed from the roof when installing the window.

- Reduces overheating
- Semi-transparent fabric for light control and sky view
- Solar-powered blind with remote control
- Not compatible with blackout blind

Blackout blind

VELUX blackout blind for glass rooflights blocks outside light for total darkness, anytime and is perfect for bedrooms. It is discreetly placed inside the rooflight and easily installed from the roof when installing the window

- Perfect sleep – day or night
- 99.9% blackout
- Great for bedrooms and media rooms
- Solar-powered blind with remote control
- Not compatible with anti-heat blind

Insect screen

VELUX insect screen for glass rooflights lets you enjoy fresh air and a view to sky without any insects. It comes in a contemporary white design, and is easy to install and simple to remove for cleaning.

- Fresh air and 100% insect-proof
- Durable, transparent net fabric does not obstruct your view
- Can be combined with an anti-heat blind or a blackout blind
- Standard 100 by OEKO-TEX® (1076-184 DTI) – contains no harmful substances
- STeP by OEKO-TEX® – sustainable textile production



Window size	060060	080080	090060	090090	100100	120090	120120	150080	150100	150120	150150	200060	200100	days
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Solar MSU	000	000	000	000	000	000	000	000	000	000	000	000	000	#
Solar DSU	000	000	000	000	000	000	000	000	000	000	000	000	000	#
Manual insect screen ZIU	000	000	000	000	000	000	000	000	000	000	000	000	000	#

Solar MSU and DSU can be combined with our intelligent home control solutions for multiple product operation, scheduling and automation. Read more about these solutions on page XX.

All prices in EUR (€)
Find all sizes and prices on veluxshop.xx




Anti-heat blind

VELUX anti-heat blind provides light dimming and heat protection so your indoor temperature stays cool and comfortable. This makes it perfect for living rooms with activity during the day. It is easy to install from the inside.

6090



Translucent pleated blind




1016

1259



Blackout energy pleated blind



1045

1047



For dome with glazing*

Anti-heat blind

VELUX anti-heat blind provides light dimming and heat protection so your indoor temperature stays cool and comfortable. This makes it perfect for living rooms with activity during the day. It is easy to install from the inside.

- Reduces solar heating
- Semi-transparent fabric lets in natural light
- Available in solar powered operation with app and remote control

Translucent pleated blind

VELUX pleated blind for flat roof windows provides soft daylight control in a decorative folding design. It is the perfect choice for living rooms with activity during the day.

- Softly diffuses incoming natural light
- Available in electric operation with app and remote control
- Standard 100 by OEKO-TEX® (1076-184 DTI) – contains no harmful substances
- STeP by OEKO-TEX® – sustainable textile production

Blackout energy pleated blind

VELUX blackout energy pleated blind for flat roof windows darkens the room and protects against cold. This makes it the ideal choice for bedrooms and living rooms.

- Light dimming and insulating effect
- Available in solar-powered and electric operation with app and remote control
- Standard 100 by OEKO-TEX® (1076-184 DTI) – contains no harmful substances
- STeP by OEKO-TEX® – sustainable textile production

* Also compatible with Curved and Flat Glass roof windows bought before April 2022.

		060060	060090	080080	090090	100100	090120	120120	100150	150150	🕒
Window size		60x60	60x90	80x80	90x90	100x100	90x120	120x120	100x150	150x150	days
☀️	Solar MSG	Anti-heat blind	000	000	000	000	000	000	000	000	#
☀️	Solar FSK	Blackout energy pleated blind	000	000	000	000	000	000	000	000	#
🔌	Electric FMK	Blackout energy pleated blind	000	000	000	000	000	000	000	000	#
🔌	Electric FMG	Translucent pleated blind	000	000	000	000	000	000	000	000	#

Solar MSG is not compatible with ISD 2093.
Solar MSG and FSK and electric FMG and FMK can be combined with our intelligent home control solutions for multiple product operation, scheduling and automation. Read more about these solutions on page XX.

All prices in EUR (€)
Find all sizes and prices on [veluxshop.xx](https://www.veluxshop.xx)

Order your new VELUX blind or shutter in five easy steps

1

Locate your window type and size

Find your window's type and size by checking the type sign placed either on the left or right side of the window frame when it is open.

See picture below for placement of type sign.

2

Select blind or shutter type

Decide on the type of blind or shutter: Blackout, light adjustment, heat protection etc.

Go to overview page 16.

3

Select operation

Select manual, mains powered or solar powered operation, depending on the placement and type of roof window.

4

Select colour

Each of our blind colours has its own colour code, which you can see on the respective blind pages.


You can order free fabric samples at veluxshop.nn

Please note: Precise colour may vary from the printed samples.

5

Place your order

Order on veluxshop.nn, or by speaking to one of our dealers or a customer service representative.



Extras for your blinds and shutters



Rod control

ZCZ 080 80 cm XX€
ZCT 200 telescopic 108-188 cm XX€

The rod makes it easy to operate out-of-reach manual blinds.



Rod adaptor control bar

ZOZ 085 XX€

Adaptor for manual blinds with control bars supports easy operation with the rod.



Rod adaptor basic

ZOZ 040 XX€

Adaptor for basic roller blinds (RHL) makes it possible to operate the roller blind with a rod.



Mounting brackets

ZOZ 230 XX€

For installation of blinds with white side rails and electric or solar powered interior blinds on older VELUX roof windows without pre-installed mounting brackets.



Installation kit

ZOZ 238 XX€

For installation of soft shutter and electric awning blinds (SSS, MSL or MML) on VELUX roof windows from before 1998.



Installation kit

ZOZ 240 XX€

For installation of soft shutter and electric awning blinds (SSS, MSL or MML) on copper VELUX roof windows.



Installation kit

ZOZ 229S XX€

For installation of soft shutter and electric awning blinds (SSS, MSL or MML) on VELUX electric GPU roof windows.



Dual solar switch

ZOZ 246 XX€

For installation of solar powered soft shutters and awning blinds (SSS or MSL) on smaller VELUX electric solar powered roof windows (sizes C and F).

Customer service





Could you use some advice when selecting your blind, or do you have a question about a particular product? Whatever your question, we're here to help and strive to respond promptly to all requests.


 velux.nn
 0100 0022
 velux-nn@velux.com

VELUX Company XXX
XXXXXXXXXX
XXXXXXXXXX
XXXXXXXXXX
XXXXXX
XXXXXX

Tel: XXXXX

Email: sales@velux.xx
Website: velux.xx

-  facebook.com/VELUX XXX
-  twitter.com/VELUX XXX
-  pinterest.com/VELUX XXX
-  instagram.com/VELUX XXX



TRANSFORMING
SPACES

